

# Exams4sures

## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

### Security & Privacy



Exams4sures respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



### Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact Exams4sures.

### 365 Days Free Updates



Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



### Try Before Buy

Exams4sures offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.



48923+  
Happy Clients



48923+  
Shares



97846+  
Downloads



9999+  
Years in Business

<http://www.exams4sures.com/>

Everything you need to prepare, learn & pass your certification exam easily.

**Exam :** HP0-205

**Title :** Supporting the Enterprise Modular Library

**Vendors :** HP

**Version :** DEMO

NO.1 Excessive R/W-head wear due to tape repositioning is a result of not providing the correct \_\_\_\_.

- A.feed speed
- B.block size
- C.file size
- D.compression ratio

Correct:A

NO.2 Which EML E-Series tape library FRU has a Command Line Interface port?

- A.interface controller card
- B.robotics controller card
- C.Interface Manager memory card
- D.Interface Manager card

Correct:D

NO.3 Which HP software can be used to calculate the actual compression ratio of backup data?

- A.Performance Analysis Tool
- B.Library and Tape Tools
- C.I/OMETER
- D.DPMETERM

Correct:B

NO.4 Compared to an Ultrium 460 tape drive, the transfer rate for native data of an Ultrium 960 drive is

- \_\_\_\_\_.
- A.slightly lower
  - B.approximately the same
  - C.approximately 2 times higher
  - D.more than 2.5 times higher

Correct:D

NO.5 An EML E-Series tape library is powered on. Before opening the library front door, \_\_\_\_\_.

- A.operable robotics must be parked
- B.the library must be powered off
- C.the Operator Control Panel must indicate "service request"
- D.cartridges must be removed from the load ports

Correct:A

NO.6 Which file factor does NOT affect performance of tape devices in a SAN environment?

- A.extension
- B.compressibility
- C.directory depth
- D.size (larger is better)

Correct:A

NO.7 Which option of Command View TL is used to collect configuration information and execute a

Device Analysis test on the selected device or devices for an EML E-Series tape library?

- A.backup configuration
- B.get config
- C.report event logs
- D.generate support ticket

Correct:D

NO.8 You are at a customer site to repair an EML E-Series tape library. What is the first thing to

consider before replacing any defective parts?

- A.the part replacement procedure
- B.how the fault was caused
- C.customer site procedures
- D.firmware revision levels

Correct:C

NO.9 Which component of the EML E-Series tape library is located in the top cPCI slot in the library

base module card cage?

- A.Interface Manager memory
- B.robotics controller
- C.interface controller
- D.Interface Manager

Correct:B

NO.10 What is the most critical factor affecting performance at the disk subsystem during a backup?

A.disk connection speed

B.disk fragmentation

C.tape feed speed

D.compression ratio

Correct:B