

Exams4sures

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Security & Privacy



Exams4sures respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact Exams4sures.

365 Days Free Updates



Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Try Before Buy

Exams4sures offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.



48923+
Happy Clients



48923+
Shares



97846+
Downloads



9999+
Years in Business

<http://www.exams4sures.com/>

Everything you need to prepare, learn & pass your certification exam easily.

Exam : **HPE0-J79**

Title : Architecting Multi-Site HPE
Storage Solutions

Vendor : HP

Version : DEMO

NO.1 You size a Remote Copy solution for an HPE StoreServ customer.

Which best practice should be implemented concerning virtual Volumes (VVs)?

- A. All VVs belonging to the same application should be added to different Remote Copy groups.
- B. All VVs should be spread evenly across all available Remote Copy groups
- C. All VVs should be put into their own Remote Copy group
- D. All VVs belonging to the same application should be added to the same Remote Copy group

Answer: D

NO.2 A storage architect is reviewing customer as-built documentation and a proposed design for an HPE 3PAR StoreServ deployment. The array must be installed in a co-location facility in facility-supplied and managed racks. The storage architect has determined that service clearances and power are adequate. The proposed design is storage-centric and will require two racks to accommodate all the disk enclosures.


What should the storage architect consider when validating the bill of materials?

- A. Expansion is only supported in HPE racks
- B. The correct number of Infiniband cables are required.
- C. The correct number of Fibre Channel cables are required
- D. The correct number of SAS Active Optical Cables (AOC) are required



Answer: D

NO.3 HOTSPOT

The picture shows the 4 types of StoreVirtual Network RAID: 0, 10, 10+1 and 10+2. A customer has three sites and needs a copy of data at each site. Click on the Network RAID level that you should recommend



Answer:

**Explanation:**

NO.4 You are talking to a prospective customer at a medium-to-large enterprise firm about an upcoming storage refresh project they have for their legacy architecture storage platforms. The customer mentions that as they grew the size and types of workloads on their present storage arrays, they became slower in terms of IOPS and throughput. In a few cases, they had to purchase additional arrays to offload some of the workload. They noticed the same impact to performance when they enabled array-based replication.

Which HPE 3PAR StoreServ architecture feature would solve these issues?

- A. The HPE StoreServ storage array uses a high-speed, full-mesh active interconnect to join multiple controller nodes together to form a cache-coherent cluster across the entire array.
- B. The HPE 3PAR StoreServ storage array is an ideal high availability platform that runs its OS in a single instance.
- C. The HPE 3PAR ASIC offloads I/O workload performed by microprocessors in legacy storage array platforms.
- D. The shared links between the controller node and each of the other nodes operate at 4 GB/s full duplex to adequately support the clustering of controller nodes and movement of data between nodes.

Answer: C

NO.5 While preparing to demonstrate SSMC functionality with an HPE 3PAR StoreServe 7400, you notice that the System Reporter templates for the PoC system are different from those you have

seen for other arrays. While examining the SSMC User Guide, you discover that a System Reporter license is still needed for some System Reporter functionality in SSMC

Which SSMC System Reporter functionality requires the array to have a System Reporter license? (Select two)

- A. online performance reporting
- B. historical performance reporting
- C. performance alerts
- D. export functionality
- E. web-based reporting

Answer: D,E

NO.6 Which requirements must be considered when designing and sizing an HPE 3PAR StoreServ environment for periodic asynchronous replication?

- A. Size only the source array to account for the IOPS resulting from snapshot created by Remote Copy.
- B. Size both arrays to account for the IOPS resulting from snapshots created by Remote Copy.
- C. Use a CPG with SAS drives for Remote Copy snapshots.
- D. Size only the target array to account for IOPS resulting from snapshots created by Remote Copy.
- E. Use a CPG with nearline drives for Remote Copy snapshots.

Answer: A,E